



6-Knife Multi-Function Chaff Cutter & Silk Kneader

4-6 T/H CAPACITY | MULTI-FUNCTION CHAFF CUTTER SILK KNEADER

APPLICATIONS

- Cattle and sheep feed
- Straw kneading
- Corn stalk processing
- Hay cutting
- Silage production

KEY FEATURES

- 5.5kW industrial motor
- 6 knives high efficiency
- Chaff cut + knead
- Conveyor auto feed
- Mobile wheeled



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
GENERAL		
Capacity	4-6 T/H	4.4-6.6 ST/H
Max Processing Diameter	80 mm	3.15 inches
Overall Dimensions (L×W×H)	1800×800×1500 mm	70.9×31.5×59.1 inches
Operating Weight	300 kg	661 lbs
Cutting Length	10-50 mm adjustable	0.4-2.0 inches adjustable
POWER UNIT		
Motor Type	Three-phase/single-phase AC motor	
Rated Power	5.5 kW	7.5 HP
Rated Voltage	220V/380V optional	
Start Method	Direct start	
Drive System	Belt drive	
CHIPPING SYSTEM		
Rotor Speed	2800 RPM	
Blade Configuration	6pcs alloy steel chaff knives	
Kneading Device	Adjustable kneading hammer	



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
Processing Function	Chopping + silk kneading	
FEED SYSTEM		
Feed Method	Conveyor belt auto feed	
Conveyor Length	1200 mm	47.2 inches
Applicable Materials	Corn straw, hay, alfalfa, wheat straw	
DISCHARGE SYSTEM		
Discharge Method	Side inclined discharge	
Discharge Height	800 mm	Soft kneaded forage
Output Material	Soft kneaded forage	
UNDERCARRIAGE		
Travel Method	Hand-push wheeled	
Tire Specification	2pcs 10 inch rubber wheels + 2 universal casters	
Frame Material	Thick steel welded frame	

SAFETY FEATURES

- Emergency stop button
- Motor overload protection
- Feed safety baffle
- Full cutting chamber guard
- Belt drive protective cover

END PRODUCT & APPLICATIONS



Product Showcase



Typical Applications