



Model 350 Towable Gasoline Wood Chipper

1-2 T/H CAPACITY | TOWABLE GASOLINE

APPLICATIONS

- Landscaping company
- Farm branch processing
- Rental business
- Mobile site operation
- Small forestry work

KEY FEATURES

- 15HP gasoline engine, high torque
- Towable design, long distance transfer
- 360° rotatable discharge chute
- Heavy duty frame, durable
- Easy maintenance, low cost



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
GENERAL		
Capacity	1-2 T/H	1.1-2.2 ST/H
Max Processing Diameter	100 mm	3.9 inches
Overall Dimensions (L×W×H)	2200×900×1500 mm	86.6×35.4×59.1 inches
Operating Weight	220 kg	485 lbs
Output Size	10-30 mm	0.4-1.2 inches
POWER UNIT		
Engine Type	Single cylinder 4-stroke air-cooled gasoline engine	
Rated Power	3600 RPM	
Start Method	Recoil start, electric start optional	
Fuel Tank Capacity	6.5 L	1.7 US gal
CHIPPING SYSTEM		
Rotor Speed	2400 RPM	
Blade Configuration	2 moving blades + 1 fixed blade	
Drive System	Belt drive	
FEED SYSTEM		
Feed Method	Manual feed	



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
Hopper Design	Large inclined feed hopper	
DISCHARGE SYSTEM		
Discharge Chute	360° rotatable adjustable chute	
Discharge Height	1800 mm	70.9 inches
UNDERCARRIAGE		
Travel Method	Towable wheeled	
Tire Specification	2pcs 15 inch pneumatic tires	
Hitch	Standard 2 inch trailer hitch	
Support Jack	Front adjustable jack	

SAFETY FEATURES

- Emergency stop bar
- Feed hopper safety interlock
- Full cutting chamber guard
- Belt drive protective cover
- Engine low oil protection

END PRODUCT & APPLICATIONS



Product Showcase



Typical Applications