



Model 6130 Tree Branch Chipper Machine

1-2 T/H CAPACITY | DIESEL BRANCH CHIPPER

APPLICATIONS

- Off-grid orchard work
- Mountain forest branch chipping
- Remote area greening
- Small farm green
- Field branch processing

KEY FEATURES

- 13HP air-cooled diesel
- Low fuel consumption
- High torque for fresh branches
- Towable mobile
- Long run time



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
GENERAL		
Capacity	1-2 T/H	1.1-2.2 ST/H
Max Processing Diameter	80 mm	3.1 inches
Overall Dimensions (L×W×H)	1450×700×1250 mm	57.1×27.6×49.2 inches
Operating Weight	210 kg	463 lbs
Output Size	5-25 mm	0.2-1.0 inches
POWER UNIT		
Engine Type	Single cylinder 4-stroke air-cooled diesel engine	
Rated Power	9.7 kW	13 HP
Engine Speed	3600 RPM	
Start Method	Electric start + recoil start	
Fuel Tank Capacity	5.5 L	1.5 US gal
CHIPPING SYSTEM		
Rotor Speed	2200 RPM	
Blade Configuration	2 moving blades + 1 fixed blade	
Drive System	Double V-belt drive	



TECHNICAL SPECIFICATIONS

Parameter	Metric	Imperial
FEED SYSTEM		
Feed Method	Manual feed	
Hopper Design	Branch special inclined hopper	
DISCHARGE SYSTEM		
Discharge Chute	360° rotatable discharge	
Discharge Height	1500 mm	59.1 inches
UNDERCARRIAGE		
Travel Method	Towable wheeled	
Tire Specification	2pcs 12 inch off-road tires	
Trailer Hitch	Standard trailer hitch	
Support Leg	Front foldable support leg	

SAFETY FEATURES

- Emergency stop button
- Feed hopper anti-rebound baffle
- Cutting chamber guard
- Double belt guard
- Engine low oil protection

END PRODUCT & APPLICATIONS



Product Showcase



Typical Applications